



## REDUCING TEE

- Steel frame: ASTM A234 grade WPB, in compliance with ANSI B16.28
- Steel tee piece: according to SCH 40.
- Flange: ASTM A105, in compliance with ANSI B16.5/Class 150lbs; JIS 10K or DIN is also available on request.
- Standard: three fixed flanges; three loose flanges or one loose and two fixed flanges or two loose and one fixed flanges are on request.
- Lining: Pure FEP I PFA in compliance with ASTM D4894.
- Other nominal sizes are available on request.
- Available on request:
  - ANSI B16.5 Class 300 flanges
  - Vacuum resistance
  - Antistatic PTFE
  - Stainless Steel body
  - Higher diameters on request



(Unit : mm)

Nominal pipe size		D1	D2	A
Inch	mm			
1- 1/2"x1"	40x25	73	51	102
2"x1"	50x25	92	51	114
2"x1- 1/2"	50x40	92	73	114
2-1/2"x1"	65x25	105	51	127
2-1/2"x1"-1/2"	65x40	105	73	127
2-1/2"x2"	65x50	105	92	127
3"x1"	80x25	127	51	140
3"x1-1/2"	80x40	127	73	140
3"x2"	80x50	127	92	140
4"x1"	100x25	157	51	165
4"x1-1/2"	100x40	157	73	165
4"x2"	100x50	157	92	165
4"x3"	100x80	157	127	165
6"x2"	150x50	212	92	203
6"x2-1/2"	150x65	212	105	203
6"x3"	150x80	212	127	203
6"x4"	150x100	212	157	203
8"x3"	200x80	270	127	228
8"x4"	200x100	270	157	228
8"x6"	200x150	270	212	228
10"x4"	250x100	324	157	280
10"x6"	250x150	324	212	280
10"x8"	250x200	324	270	280
12"x6"	300x150	381	212	305
12"x8"	300x200	381	270	305
12"x10"	300x250	381	324	305

